

**AMENDMENTS TO THE CLAIMS**

The following listing of claims replaces all prior versions and listings.

1. (Canceled)
2. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim ~~[[1]]~~ 20, wherein said seat for said hanging means is provided at the centre line ~~(14)~~ of said hanger structure.
3. (Canceled)
4. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim ~~[[3]]~~ 20, wherein said seat for said hanging means is a hole ~~(20)~~.
5. (Canceled)
6. (Canceled)
7. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim ~~[[6]]~~ 20, wherein the diameter of said hole ~~(20)~~ is smaller than the maximum transverse dimension of said expansion ~~(28)~~ and at least the wall of said hole ~~(20)~~ is made of a flexible material.
8. (Canceled)
9. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim ~~[[8]]~~ 21, wherein said wings comprises first wings ~~(40, 40')~~ slanted downwards, having lower tips spaced apart of a distance which is less than the transverse dimension of said portion ~~(28')~~ of said stem ~~(18)~~.
10. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim 9

wherein said first wings (~~40, 40<sup>2</sup>~~) are offset with respect to said centre line (~~14~~).

11. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim ~~[[8]]~~ 21, wherein said wings comprise second wings (~~45, 45<sup>2</sup>~~) located at the two sides of the centre line (~~14~~) of said structure and below said first wings ~~40, 40<sup>2</sup>~~, also said second wings being in a forced contact with at least one portion (~~28<sup>2</sup>~~) of said stem (~~18~~).

12. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim 11, wherein said second wings (~~45, 45<sup>2</sup>~~) are offset with respect to said centre line (~~14~~).

13. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim 11, wherein said second wings (~~45, 45<sup>2</sup>~~) are of a height greater than the height of said first wings (~~40, 40<sup>2</sup>~~).

14. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim 13, wherein holes (~~50~~) are provided at the base of said second wings (~~45, 45<sup>2</sup>~~).

15. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim ~~[[8]]~~ 21, wherein said portion (~~28<sup>2</sup>~~) of said stem is provided with screw threads.

16. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim ~~[[8]]~~ 21, wherein said means of engagement provided in said seat comprises a rib (~~42~~) extending vertically between said plurality of wings.

17. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim ~~[[8]]~~ 21, wherein said means of engagement provided in said seat comprises a bottom wall (~~44~~) on which said portion (~~28<sup>2</sup>~~) of said stem (~~18~~) abuts when said hanging means is in the retracted position.

18. (Currently amended) A clothes ~~Clothes~~ hanger structure according to claim [[1]]  
20, wherein said hanging means comprises at least a hook ~~(16)~~.

19. (Canceled)

20. (New) A clothes hanger structure comprising:

two arms designed to provide a support for a garment; and

a hanging means fixed to said arms, wherein:

said hanging means comprises a stem fixed in a corresponding seat of said structure, said seat being provided with means of engagement of at least a portion of said stem, so that said hanging means can be fixed in at least two positions, one extended and one retracted;

said portion of said stem comprises at least one expansion;

said seat includes an upper toroidal cavity and a lower toroidal cavity that are formed with teeth at their upper edges and engage said at least one expansion.

21. (New) A clothes hanger structure comprising:

two arms designed to provide a support for a garment; and

a hanging means fixed to said arms, wherein:

said hanging means comprises a stem fixed in a corresponding seat of said structure, said seat being provided with means of engagement of at least a portion of said stem, so that said hanging means can be fixed in at least two positions, one extended and one retracted;

wherein said means of engagement comprises a plurality of wings located at two sides of a centre line of said structure, in a forced contact with at least one portion of said stem.

22. (New) A clothes hanger structure according to claim 21, wherein said hanging means comprises at least a hook.